

Revision: 08.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### Trade name: NEOFLON FEP ND-2R

**1.2 Relevant identified uses of the substance or mixture and uses advised against: Sector of Use** SU8 Manufacture of bulk, large scale chemicals (including petroleum products)

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION: OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan Phone:+81-6-6147-9702 Fax:+81-6-6147-9807

*Further information obtainable from:* http://www.daikin.com/ *1.4 Emergency telephone number:* Japan: +81-6-6349-7521 China: +86-532-8388-9090, +86-21-34151689 South Korea: +82-2-568-1722 Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887) Europe: +49-211-179 225-0

## SECTION 2: Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Acute Tox. 4 H332 Harmful if inhaled.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Signal word: Danger

#### Hazard-determining components of labelling:

· · · · · · · · · · · · · · · · · · ·
tements:
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Use explosion-proof [electrical/ventilating/lighting] equipment.
Avoid breathing dust/fume/gas/mist/vapours/spray.
B IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or
shower].
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.



Version number 1

Printing date 08.02.2024

Trade name: NEOFLON FEP ND-2R

Revision: 08.02.2024

Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

SECTION 3: Composition/information on ingredients		
Information on	ingredients:	
CAS: 25067-11-2	2 Perfluoro(ethylene-propene) copolymer	20-30%
CAS: 9002-83-9	Polychlorotrifluoroethylene	10-20%
CAS: 108-94-1	Cyclohexanone Flam. Liq. 3, H226 Acute Tox. 4, H332	30-40%
	Reaction mass of ethylbenzene and xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STC SE 3, H335 ATE: LD50 dermal: 1100 mg/kg LC50/4h inhalative: 29 ppm	15-25% DT
Additional infor	<i>Others</i> <i>mation:</i> For the wording of the listed hazard phrases refer to section 16.	1-10%

## **SECTION 4:** First aid measures

4.1 Description of first aid measures

*General information:* Seek medical treatment. *After inhalation:* Supply fresh air; consult doctor in case of complaints. *After skin contact:* 

*Remove contaminated clothes immediately.* 

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

#### After eye contact:

*Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of complaints.* 

#### After swallowing:

Rinse mouth with water. Do not induce vomiting.

Consult a doctor in case of complaints.

4.2 Most important symptoms and effects, both acute and chronic: No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

# **SECTION 5:** Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents:
Foam
Fire-extinguishing powder
CO2
For safety reasons unsuitable extinguishing agents: Water with full jet
5.2 Special hazards arising from the substance or mixture:
Formation of toxic gases is possible during heating or in case of fire.
Receptacle may explode when heated.
Extremely flammable; can ignite easily with heat, sparks, fire.
5.3 Advice for firefighters: Remove receptacles from area of fire if possible.
Protective equipment:
Wear self-contained breathing apparatus and protective suit.



Version number 1

Revision: 08.02.2024

Trade name: NEOFLON FEP ND-2R

Do not inhale explosion gases or combustion gases.

# **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation before entering the area. Stav on the windward side. Keep out unauthorized persons. Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection). Avoid contact with eyes and skin. Do not swallow the product. 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. 6.3 Methods and material for containment and cleaning up: Do not flush with water or aqueous cleansing agents For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly. For a small amount of leakage: Use clean anti-static tools when absorbing the product. For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect. Remove ignition sources immediately. Ground all equipment when the product leaks. There is a danger of explosion. Prepare fire extinguisher in case of emergency. 6.4 Reference to other sections: See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** 

## 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Do not handle until all safety precautions have been read and understood. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use flame proof electric/lighting devices and ventilation equipment. Ground/bond container and receiving equipment. 7.2 Conditions for safe storage, including any incompatibilities: Storage Requirements to be met by storerooms and receptacles: Store in a cool and dry location. Provide solvent resistant, sealed floor. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/product. Keep containers tightly sealed. Information about storage in one common storage facility: See section 10 for information on incompatible materials. Further information about storage conditions: Protect from heat and direct sunlight. Store containers in a well ventilated area. Store locked up. 7.3 Specific end use(s): No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters** No further information available. Ingredients with limit values that require monitoring at the workplace:

## CAS: 108-94-1 Cyclohexanone

IOELV (EU) Short-term value: 81.6 mg/m<sup>3</sup>, 20 ppm Long-term value: 40.8 mg/m<sup>3</sup>, 10 ppm Skin



Version number 1

Printing date 08.02.2024

Trade name: NEOFLON FEP ND-2R

Revision: 08.02.2024

CAS: 1330-20-7 Xylene

IOELV (EU) Short-term value: 442 mg/m<sup>3</sup>, 100 ppm Long-term value: 221 mg/m<sup>3</sup>, 50 ppm Skin

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
Appropriate engineering controls No further data; see section 7.
Individual protection measures, such as personal protective equipment
General protective and hygienic measures:
Wash hands before breaks and at the end of work.
Do not eat or drink while working.
Respiratory protection: Use respiratory protective device with organic gas cartridge.
Hand protection



Protective gloves

Material of gloves: Rubber Eye/face protection



Safety glasses

Body protection: Protective work clothing

# **SECTION**9: Physical and chemical properties

General Information Physical state	Fluid
Physical state	1 1000
	1177 · · · 1
Colour:	Whitish
Odour:	Aromatic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	No further information available.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower explosive limit:	1.1 Vol % (Cyclohexanone)
Upper explosive limit:	9.4 Vol % (Cyclohexanone)
Flash point:	35 °C (SCC)
Auto-ignition temperature:	No further information available.
Decomposition temperature:	No further information available.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	No further information available.
Partition coefficient n-octanol/water (log value)	No further information available.
Vapour pressure:	No further information available.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Not applicable.



Trade name: NEOFLON FEP ND-2R

Printing date 08.02.2024

Version number 1

Revision: 08.02.2024

9.2 Other information: Form: Liauid **Ignition temperature:** Product is not self-igniting. **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible. **Evaporation** rate Not determined. Information with regard to physical hazard classes **Explosives** Not applicable Flammable gases Not applicable *Not applicable* Aerosols *Not applicable* **Oxidising** gases *Not applicable* Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids *Not applicable Not applicable* Self-reactive substances and mixtures Pyrophoric liquids *Not applicable* **Pyrophoric solids** *Not applicable* Self-heating substances and mixtures *Not applicable* Substances and mixtures, which emit flammable gases *Not applicable* in contact with water *Not applicable* **Oxidising liquids** *Not applicable* **Oxidising** solids **Organic** peroxides *Not applicable* Corrosive to metals *Not applicable* Not applicable **Desensitised** explosives

# SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

*Thermal decomposition / conditions to be avoided:* To avoid thermal decomposition do not overheat. **10.3 Possibility of hazardous reactions:** No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.

**10.5 Incompatible materials:** Oxidizing agents

## 10.6 Hazardous decomposition products:

As for decomposition products, particulate matters and extremely toxic/corrosive fumes may be generated (HF, carbonyl fluoride, monomers, perfluoroisobutylene). Decomposition products differ depending on the temperature and conditions.

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Harmful if inhaled. LD/LC50 values relevant for classification:

## CAS: 108-94-1 Cyclohexanone

Oral LD50 1535 mg/kg (Rat) Dermal LD50 948 mg/kg (Rabbit) Inhalative LC50/4h 8000 ppm (Rat)

## CAS: 1330-20-7 Xylene

Oral LD50 4300 mg/kg (Rat) Dermal LD50 2000 mg/kg (Rabbit)

## CAS: 100-41-4 Ethylbenzene

Oral LD50 > 3000 mg/kg (Rat)



Version number 1

Revision: 08.02.2024

#### Trade name: NEOFLON FEP ND-2R

Dermal LD50 > 5000 mg/kg (Rabbit) Inhalative LC50 17.8 mg/l (Rat) Skin corrosion/irritation: No further information available. Serious eye damage/irritation: No further information available. after inhalation: No further information available. Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met. Aspiration hazard: May be fatal if swallowed and enters airways. **Other information (about experimental toxicology):** No further information available. Subacute to chronic toxicity: No further information available. Additional toxicological information: Effects of hydrogen fluoride: Low concentration of hydrogen fluoride may cause feeling of dyspnea, cough, irritation in eyes, nose, throat, fever, chill for 1-2 days. After that, dyspnea, cyanosis and pulmonary edema may be seen. High concentration of hydrogen fluoride damages liver and kidney.

Effects of carbonyl fluoride: Skin: Irritation or eruption Eye: Ulcer in cornea, conjunctiva Respiratory system: Irritation Lung: Temporary symptons such as cough, pain, dyspnea Persons who have experienced lung diseases are vulnerable to toxicity caused by excessive exposure to pyrolysis products 1.2 Information on other barando.

#### 11.2 Information on other hazards:

Endocrine disrupting properties:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

12.1 Toxicity Aquatic toxicity:

#### CAS: 100-41-4 Ethylbenzene

LC50/96h 12.1 mg/l (Fish) (Pimephales promelas)

 $EC50/48h \ 1.8 - 2.4 \ mg/l$  (Daphnia) (Daphnia magna)

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** No further relevant information available.

vPvB: No further information available.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11. **12.7 Other adverse effects:** 

Ecotoxical effects: no data

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation: Disposal must be made according to official regulations.



Version number 1

Printing date 08.02.2024

Trade name: NEOFLON FEP ND-2R

Revision: 08.02.2024

Uncleaned packaging Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number	
ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name:	
ADR, IATA	PAINT
14.3 Transport hazard class(es):	
ADR	
Class:	3 (F1) Flammable liquids.
Label:	3 (11) 1 iummuole liquius.
IMDG, IATA	5
Class:	3 Flammable liquids.
Label:	3
14.4 Packing group:	
ADR, IMDG, IATA	III
14.5 Environmental hazards: Marina pollutanti	No
Marine pollutant: 14.6 Special precautions for user:	Wo Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E,S-E</i>
Stowage Category	A
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	Avoid direct sunlight. Make sure of no damage, corrosion, leaks
	on the receptacles.
	Take necessary measures for preventing cargo shift.
ADR	
Limited quantities (LQ):	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 ml 3
Transport category: Tunnel restriction code:	5 D/E
I unnel restriction code: IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
······································	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1263 PAINT, 3, III
SECTION 15: Regulatory information	

SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available. **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.



Trade name: NEOFLON FEP ND-2R

Version number 1

Revision: 08.02.2024

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:		
Cyclohexanone		
Ethylbenzene		
Xylene		
Hazard statements		
H226 Flammable liquid and vapour.		
H332 Harmful if inhaled.		
H304 May be fatal if swallowed and enters airways.		
Precautionary statements		
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.		
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.		
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or		
shower].		
P405 Store locked up.		
P501 Dispose of contents/container in accordance with local/regional/national/international		
regulations.		
Seveso category P5c FLAMMABLE LIQUIDS		

National regulations No further information available. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

# Contact: http://www.daikin.com/

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

\* Data compared to the previous version altered.