

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** FLUOROCARBON GAS HFC-23**Article number:** DF23 STD**EC number:**

200-872-4

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

No further relevant information available.

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan

Phone: +81-6-6147-9702 Fax: +81-6-6147-9807

**Further information obtainable from:** <http://www.daikin.com/>**1.4 Emergency telephone number:**

Japan: +81-6-6349-7521

China: +86-532-8388-9090, +86-21-34151689

South Korea: +82-2-568-1722

Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887)

Europe: +49-211-179 225-0

**\* SECTION 2: Hazard identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Press. Gas (Liq.) H280 Contains gas under pressure; may explode if heated.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008:**

The substance is classified and labelled according to the CLP regulation.

**Signal word:** Warning**Precautionary statements:**

P410+P403 Protect from sunlight. Store in a well-ventilated place.

**SECTION 3: Composition/information on ingredients****Information on ingredients:**

CAS: 75-46-7 Trifluoromethane

&gt;99.9%

Press. Gas (Liq.), H280

**Identification number(s)****EC number:** 200-872-4**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Seek immediate medical advice.**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult a doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

In case of emergency to rescue the victims; be sure to wear supplied-air respirator (SAR) or self-contained breathing apparatus (SCBA).

If the patient does not breathe or hardly breathes, unbutton clothes, secure the airway for breathing and perform artificial respiration.

At high levels, cardiac arrhythmia may occur.

**After skin contact:**

Rinse with warm water.

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

**Trade name: FLUOROCARBON GAS HFC-23**

*In cases of frost bites, rinse with plenty of water. Do not remove clothing.*

*Immediately rinse with warm water and soap.*

*Consult a doctor in case of complaints.*

**After eye contact:**

*Rinse opened eye for several minutes under running water.*

*Consult an ophthalmologist in case of complaints.*

**After swallowing:** *Not applicable.*

**Information for doctor:**

*Catecholamines such as adrenaline, and other compounds having similar effects, should be reserved for emergencies and then used only with special caution.*

*The examining physician should advise workers taking medications containing catecholamines that they may be at increased risk and should avoid excessive exposure.*

**4.2 Most important symptoms and effects, both acute and chronic:**

*Frost bites*

*High concentrations cause asphyxiation. May cause an abnormal heart rhythm and prove suddenly fatal.*

**4.3 Indication of any immediate medical attention and special treatment needed:**

*No further relevant information available.*

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

**Suitable extinguishing agents:** *Use fire extinguishing methods suitable for surrounding conditions.*

**5.2 Special hazards arising from the substance or mixture:**

*During heating or in case of fire poisonous gases may be produced.*

*Formation of toxic gases is possible during heating or in case of fire.*

*Receptacle may explode when heated.*

**5.3 Advice for firefighters:**

*Move receptacle to a safe place immediately if possible. If not, spray water on the receptacles and surrounding equipment to cool.*

*If receptacle catches fire: cool them with plenty of water.*

*If possible, close valves of receptacles to shut off the gas supply.*

**Protective equipment:**

*Wear fully protective suit.*

*Wear self-contained breathing apparatus and protective suit.*

*Do not inhale explosion gases or combustion gases.*

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

*Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).*

*Avoid contact with eyes and skin.*

*Do not inhale the product.*

*Ensure adequate ventilation before entering the area.*

*Stay on the windward side.*

*Keep out unauthorized persons.*

**6.2 Environmental precautions:**

*Suppress gases/fumes/haze with water spray.*

*Must not be emitted into the environment.*

**6.3 Methods and material for containment and cleaning up:** *Ensure adequate ventilation.*

**6.4 Reference to other sections:**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

**\* SECTION 7: Handling and storage****7.1 Precautions for safe handling:**

*Waste air is to be released into the atmosphere only via suitable separators.*

*Danger of ignition/explosion if mixed with flammable gas.*

*Do not inhale the gas.*

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

**Trade name: FLUOROCARBON GAS HFC-23**

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

For heating receptacle, use hot compresses or lukewarm water below 40 °C.

Do not use heaters.

Stay on the windward side when working outdoors.

Be careful of leakage when attaching/detaching receptacles.

Inhaling large quantities may cause cardiac arrhythmia or asphyxiation or both.

Keep away from naked flame or metal heated over 300 - 400 °C to prevent thermal decomposition that may form toxic gases.

Do not handle until all safety precautions have been read and understood.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

**7.2 Conditions for safe storage, including any incompatibilities:****Storage****Requirements to be met by storerooms and receptacles:**

Store material at 5 °C to 25 °C.

Store in a cool and dry location.

Keep containers tightly sealed.

**Information about storage in one common storage facility:**

No further information available.

See section 10 for information on incompatible materials.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacle.

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

**7.3 Specific end use(s):** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters** No further information available.

**Ingredients with limit values that require monitoring at the workplace:** Not required.

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see item 7.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

**Respiratory protection:** Use respiratory protective device with organic gas cartridge.

**Hand protection**

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Leather

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

Trade name: **FLUOROCARBON GAS HFC-23**

**Eye/face protection**



Safety glasses

**Body protection:** Protective work clothing

\* **SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Liquefied gas
<b>Colour:</b>	Colourless
<b>Odour:</b>	Ether-like
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	-82 °C Undetermined.
<b>Flammability</b>	No data.
<b>Lower and upper explosion limit</b>	
<b>Lower explosive limit:</b>	No further information available.
<b>Upper explosive limit:</b>	Not determined.
<b>Flash point:</b>	Not applicable.
<b>Decomposition temperature:</b>	No further information available.
<b>pH</b>	Not determined.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water at 25 °C:</b>	0.10 g/100g (1atm)
<b>Partition coefficient n-octanol/water (log value)</b>	No further information available.
<b>Vapour pressure at 25 °C:</b>	4.7 MPa
<b>Density and/or relative density</b>	
<b>Density at 0 °C:</b>	1.03 g/cm <sup>3</sup> (Saturation)
<b>Relative density</b>	2.43 (Air=1)
<b>Vapour density</b>	Not determined.
<b>Particle characteristics</b>	No further information available.

**9.2 Other information:**

<b>Form:</b>	Liquefied gas
<b>Auto-ignition temperature:</b>	Not determined.
<b>Explosive properties:</b>	Not determined.
<b>Evaporation rate</b>	Not applicable.

**Information with regard to physical hazard classes**

<b>Explosives</b>	Not applicable
<b>Flammable gases</b>	Not applicable
<b>Aerosols</b>	Not applicable
<b>Oxidising gases</b>	Not applicable
<b>Gases under pressure</b>	
Contains gas under pressure; may explode if heated.	
<b>Flammable liquids</b>	Not applicable
<b>Flammable solids</b>	Not applicable
<b>Self-reactive substances and mixtures</b>	Not applicable
<b>Pyrophoric liquids</b>	Not applicable
<b>Pyrophoric solids</b>	Not applicable
<b>Self-heating substances and mixtures</b>	Not applicable
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Not applicable

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

Trade name: **FLUOROCARBON GAS HFC-23**

<b>Oxidising liquids</b>	Not applicable
<b>Oxidising solids</b>	Not applicable
<b>Organic peroxides</b>	Not applicable
<b>Corrosive to metals</b>	Not applicable
<b>Desensitised explosives</b>	Not applicable

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.

**10.3 Possibility of hazardous reactions:** No dangerous reactions known under normal conditions of use.

**10.4 Conditions to avoid:** Keep away from heat, sparks, flame, high temperature.

**10.5 Incompatible materials:** Alkali or alkaline earth metals - powdered Al, Zn, Mg, etc.

**10.6 Hazardous decomposition products:**

Fluorophosgene in contact with naked flame or red hot objects.

Hydrofluoric acid, carbonyl fluoride

**\* SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** no data

**LD/LC50 values relevant for classification:** No further information available.

**Skin corrosion/irritation:** No further information available.

**Serious eye damage/irritation:** No further information available.

**after inhalation:** No further information available.

**Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

**Other information (about experimental toxicology):** No further information available.

**Subacute to chronic toxicity:** No further information available.

**11.2 Information on other hazards:**

**Endocrine disrupting properties:**

Substance is not listed.

**\* SECTION 12: Ecological information****12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

**12.4 Mobility in soil:** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** No further relevant information available.

**vPvB:** No further information available.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects:**

**Ecotoxicological effects:** no data

**Additional ecological information:****General notes:**

Ozone depletion potential(ODP) : 0

Global warming potential(GWP) : 14,800

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

Trade name: FLUOROCARBON GAS HFC-23

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation:**

Disposal must be made according to official regulations.  
Incineration in an adequate incinerator is recommended.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

**ADR, IMDG, IATA** UNI984

**14.2 UN proper shipping name:**

**ADR, IMDG, IATA** TRIFLUOROMETHANE (REFRIGERANT GAS R 23)

**14.3 Transport hazard class(es):**

**ADR**



**Class:** 2 2A Gases.

**Label:** 2.2

**IMDG**



**Class:** 2.2 Gases.

**Label:** 2.2

**IATA**



**Class:** 2 Gases.

**Label:** 2.2

**14.4 Packing group:**

**ADR, IMDG, IATA** Not applicable

**14.5 Environmental hazards:**

**Marine pollutant:** No

**14.6 Special precautions for user:** Warning: Gases.

**Hazard identification number (Kemler code):** 20

**EMS Number:** F-C,S-V

**Stowage Category** A

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:** Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles.

Take necessary measures for preventing cargo shift.

**ADR**

**Limited quantities (LQ):** 120 ml

**Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**Transport category:** 3

Printing date 23.03.2023

Version number 1

Revision: 23.03.2023

**Trade name: FLUOROCARBON GAS HFC-23**

<b>Tunnel restriction code:</b>	C/E
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	120 ml
<b>Excepted quantities (EQ)</b>	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 1984 TRIFLUOROMETHANE (REFRIGERANT GAS R 23), 2.2

**\* SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

**Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS04

**Signal word** Warning**Hazard statements**

H280 Contains gas under pressure; may explode if heated.

**Precautionary statements**

P410+P403 Protect from sunlight. Store in a well-ventilated place.

**National regulations** No further information available.**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** EHS Department**Contact:** <http://www.daikin.com/>**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Press. Gas (Liq.): Gases under pressure – Liquefied gas

**\* Data compared to the previous version altered.**